



The Professional Solar Mounting Systems

Enerack Profile

(2021 Version)




SPAD
CONSULTING ENGINEERS
think lateral




About Enerack

Xiamen Enerack Technology Co., Ltd. located in Xiamen city. Specialize in research, design, development, production, and service of solar PV Mounting systems. We are committed to providing customers with stable, reliable and cost-effective solutions of roof mounting system, ground mounting system, and construction of various photovoltaic power stations for civil and commercial use, government departments, power stations projects etc.



Enerack owns a factory, more than 80 skilled workers, have over 10 years solar products production experience. With a complete R& D processing and high manufacturing capacity, strictly following ISO9001 quality control system. Our products design strictly in accordance with Australia AS/NZS1170.2, JIS C 8955, MCS012, TUV, UL2703, European building codes and other standards. Ensure that every code and regulation is fully complied with all applicable local or national building codes.



Enerack offering innovative design and integrative settlement solution to our customers based on years of experiences on design, production and sale. We achieved good trust from customers because of our stable and excellent products. We will try our best to become a world leading level of solar photovoltaic systems integration solutions supplier.

Enerack Structure



Enerack Certification

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT

CERTIFICATE

No. Z2 107999 0001 Rev. 00

Holder of Certificate: Xiamen Enerack Technology Co., Ltd.
203A, No.6 Huli Avenue
Huli District
361006 Xiamen
PEOPLE'S REPUBLIC OF CHINA

Production Facility(ies): 108023

Certification Mark:

Product: Photovoltaic (PV) Mounting System
Model(s): Tile roof mounting system

Parameters:

Construction site:	Germany, the site altitude above sea level is less than 285m.
Snow conditions:	Snow district: Zone 2
Wind zone:	Wind zone 2
Max height of building:	18m
Angle of system:	30°

Tested according to: PPP 59029A:2013

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 703002003501-00
Valid until: 2025-05-24
Date: 2020-05-25

(Neko (Yubin) Ding)

TUV®

Page 1 of 1
TUV SUD Product Service GmbH • Certification Body • Riderstraße 65 • 80339 Munich • Germany

شهادة - Certificate - 증명서 - 認證書 - CERTIFICADO - CERTIFICAT

Certificate of Compliance

No. 0P200915.XETCN79

Technical Construction File no. MD-TCF-200910-26806

Certificate's Holder: Xiamen Enerack Technology Co., Ltd.
203A, No.6 Huli Avenue, Huli District, Xiamen, China

Certification ECM Mark:

Product: Enerack Mini Rail Solar Mounting
Model(s): ERK-TRB-D10

Verification to: Standard: EN ISO 12100:2010
related to CE Directive(s): 2006/42/EC (Machinery)

Remark: This document has been issued on a voluntary basis and upon request of the manufacturer. It is our opinion that the technical documentation received from the manufacturer is satisfactory for the requirements of the ECM Certification Mark. The conformity mark above can be affixed on the products accordingly to the ECM regulation about its release and its use.

Additional information and clarification about the Marking:
The manufacturer is responsible for the CE Marking process, and if necessary, must refer to a notified body. This document has been issued on the basis of the regulation on ECM Voluntary Mark for the certification of products. RG01_ECM rev.3 available at: www.entecerma.it

Issuance date: 15 September 2020
Expiry date: 14 September 2025

Reviewer
Technical expert
Amanda Payne

Approver
ECM Service Director
Luca Seratoni

Ente Certificazione Macchine Srl
Via Co' Bella, 243 - Loc. Castello di Serravalle - 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 ☎ +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Tile Roof Mounting System TUV Certification

ERK-TRB-D10 Mini Rail CE Certification

شهادة - Certificate - 증명서 - 認證書 - CERTIFICADO - CERTIFICAT

Certificate of Compliance

No. 0P200915.XETCN78

Technical Construction File no. MD-TCF-200910-26805

Certificate's Holder: Xiamen Enerack Technology Co., Ltd.
203A, No.6 Huli Avenue, Huli District, Xiamen, China

Certification ECM Mark:

Product: Enerack Ballasted Solar Mounting System
Model(s): ERK-BSF-15, ERK-BSR-15

Verification to: Standard: EN ISO 12100:2010
related to CE Directive(s): 2006/42/EC (Machinery)

Remark: This document has been issued on a voluntary basis and upon request of the manufacturer. It is our opinion that the technical documentation received from the manufacturer is satisfactory for the requirements of the ECM Certification Mark. The conformity mark above can be affixed on the products accordingly to the ECM regulation about its release and its use.

Additional information and clarification about the Marking:
The manufacturer is responsible for the CE Marking process, and if necessary, must refer to a notified body. This document has been issued on the basis of the regulation on ECM Voluntary Mark for the certification of products. RG01_ECM rev.3 available at: www.entecerma.it

Issuance date: 15 September 2020
Expiry date: 14 September 2025

Reviewer
Technical expert
Amanda Payne

Approver
ECM Service Director
Luca Seratoni

Ente Certificazione Macchine Srl
Via Co' Bella, 243 - Loc. Castello di Serravalle - 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 ☎ +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Ballasted Solar Mounting System CE Certification

شهادة - Certificate - 증명서 - 認證書 - CERTIFICADO - CERTIFICAT

Certificate of Compliance

No. 0P201015.XETST48

Technical Construction File no. MD-TCF-201014-27256

Certificate's Holder: Xiamen Enerack Technology Co., Ltd.
203A, No.6 Huli Avenue, Huli District, Xiamen, China

Certification ECM Mark:

Product: Enerack Ground Mounting System
Model(s): ERK-GMS

Verification to: Standard: EN ISO 12100:2010
related to CE Directive(s): 2006/42/EC (Machinery)

Remark: This document has been issued on a voluntary basis and upon request of the manufacturer. It is our opinion that the technical documentation received from the manufacturer is satisfactory for the requirements of the ECM Certification Mark. The conformity mark above can be affixed on the products accordingly to the ECM regulation about its release and its use.

Additional information and clarification about the Marking:
The manufacturer is responsible for the CE Marking process, and if necessary, must refer to a notified body. This document has been issued on the basis of the regulation on ECM Voluntary Mark for the certification of products. RG01_ECM rev.3 available at: www.entecerma.it

Issuance date: 15 October 2020
Expiry date: 14 October 2025

Reviewer
Technical expert
Amanda Payne

Approver
ECM Service Director
Luca Seratoni

Ente Certificazione Macchine Srl
Via Co' Bella, 243 - Loc. Castello di Serravalle - 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 ☎ +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Ground Mounting System CE Certification




12 December 2018
 Project number: U117_FP1
 Xiamen Enerack Technology Co. Ltd
 203A, Nonrco business plaza, NO.6, Huli Avenue,
 Huli District, Xiamen, Fujian China. 361006.

Dear Sir,

RE: ENERACK SOLAR ROOF MOUNTING FOR PORTRAIT
 ORIENTATED FLUSH MOUNTED SOLAR PANELS

As Requested, we have reviewed the structural adequacy of the Aluminum support framing components as detailed in the drawings issued by Xiamen Enerack Technology Co. Ltd. We have design investigated for the Aluminum Railing as shown below. The section of the railing is shown below.

The panels are supported by two rows of railing. The railings are fixed directly to the rafters or to the purlins.
 The spacing of the fixing of the Railing to the rafter/purlin shall be limited as tabulated below in tables 1.1, 1.2, 2.1, 2.2. Refer to "List of Tables" below to choose the appropriate span table. Refer to Figure A for wind regions and terrain categories as defined in AS1170.2. The Central & Edge zones referred to in the tables are depicted in figures B on the following pages



SPAD Pty Ltd ABN 47 030 039 571
 Consulting Structural & Civil Engineers
 114 Pymont Bridge Road, Arndale
 NSW 2038 AUSTRALIA

tel: +61 (0) 9565-5558
 fax: +61 (0) 9565-5556
 info@spadengineer.com.au
 www.spadengineer.com.au

Director: Paheer C Paheerathan
 Siding, Mering, Relux, CPing,
 NRR (Civil & Structure)

AS/NZS1170.2 Tile & Tin Roof System Certification



11 December 2018
 Project number: U117_AP1
 Xiamen Enerack Technology Co. Ltd
 203A, Nonrco business plaza, NO.6, Huli Avenue,
 Huli District, Xiamen, Fujian China. 361006.

Dear Sir,

RE: ENERACK SOLAR ROOF MOUNTING FOR PORTRAIT
 ORIENTATED TILT MOUNTED SOLAR PANELS .

As requested, we have reviewed the structural adequacy of the Aluminum support framing components as detailed in the drawings issued by Xiamen Enerack Technology Co. Ltd. We have design investigated for the Aluminum Railing as shown below. The section of the railing is shown below.

The panels in portrait orientation are supported by two rows of railing. The railings are supported by the legs which are fixed directly to the rafters, purlins or concrete roof.
 The spacing of the back-legs shall be limited as tabulated below in tables 1.1 & 1.2 for 1700 long panels and 2.1 & 2.2 for 2100 panels. Refer to Figure C on page 2 for wind regions and terrain categories as defined in AS1170.2. The spacing for the lower rail fixing can be increased by a third of the shorter legs. (Example: Spacing of longer leg=450. Spacing of lower railing=600).




Figure A Rail Detail

Figure B Configuration.

Note: Tilt angle is measured from the surface of the roof to the PV panel.

SPAD Pty Ltd ABN 47 030 039 571
 Consulting Structural & Civil Engineers
 114 Pymont Bridge Road, Arndale
 NSW 2038 AUSTRALIA

tel: +61 (0) 9565-5558
 fax: +61 (0) 9565-5556
 info@spadengineer.com.au
 www.spadengineer.com.au

Director: Paheer C Paheerathan
 Siding, Mering, Relux, CPing,
 NRR (Civil & Structure)

AS/NZS1170.2 Tilt System Certification

You can check and download the certificate from our website or the official website of the certification body.

<http://www.enerack.com/download/>

<http://www.tuvsud.com>

<http://certificate.entecerma.it/en/CertificateVerification.aspx>

<http://www.spadengineer.com.au>

SGS Test Report

SGS

TEST REPORT
 No. : X3M9191007569ML
 Date : Oct 24, 2019
 Page: 1 of 2

CUSTOMER NAME : XIAMEN ENERACK TECHNOLOGY CO.,LTD
 ADDRESS : 203A, NORRICO BUSINESS PLAZA, NO 6 HUIJI AVENUE, HUIJI DISTRICT, XIAMEN, CHINA

Sample Name : ERK-TRB-T01
 Material and Mark : SUS304

Above information and sample(s) were/were submitted and confirmed by the client, SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Oct 22, 2019
 Testing Start Date : Oct 22, 2019
 Testing End Date : Oct 24, 2019

Test result(s) : For further details, please refer to the following page(s).
 (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for:
 SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
 Testing Center

 Huan Li
 Authorized signatory

SGS

TEST REPORT
 No. : X3M9191007569ML
 Date : Oct 24, 2019
 Page: 2 of 2

Chemical Composition Analysis:
 Test Method: GB/T 1179-2008

Element	C	Si	Mn	P	S	Cr	Ni	N
Requirement, %	≤0.07	≤0.75	≤2.00	≤0.045	≤0.030	17.50-19.50	8.00-10.50	≤0.10
Result, %	0.040	0.46	0.96	0.028	0.002	18.12	8.06	0.021
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	Pass

Note: The requirement was extracted from GB/T18410 (digital No 530400) in GB/T 3280-2015

Original Sample Photo

End of report

SGS

TEST REPORT
 No. : X3M9191007529ML
 Date : Nov 04, 2019
 Page: 1 of 3

CUSTOMER NAME : XIAMEN ENERACK TECHNOLOGY CO.,LTD
 ADDRESS : 203A, NORRICO BUSINESS PLAZA, NO 6 HUIJI AVENUE, HUIJI DISTRICT, XIAMEN, CHINA

Sample Name : END CLAMP
 Material and Mark : AL6005-T5

Above information and sample(s) were/were submitted and confirmed by the client, SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Oct 28, 2019
 Testing Start Date : Oct 28, 2019
 Testing End Date : Nov 01, 2019

Test result(s) : For further details, please refer to the following page(s).
 (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for:
 SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
 Testing Center

 Spina Teng
 Authorized signatory

SGS

TEST REPORT
 No. : X3M9191007529ML
 Date : Nov 04, 2019
 Page: 2 of 3

Full test
 Test method: according to the client's requirements, to be sample on the test machine. Apply the pull force as a rate of 5mm/min till destruction. Determine the maximum force.
 Test schematic:

Test Result

Test Item	Maximum force (N)
Result	6546

Test curve

Force-Displacement curve

SGS

TEST REPORT
 No. : X3M9191007529ML
 Date : Nov 04, 2019
 Page: 3 of 3

Test photo

Photo 1: sample

Photo 2: before loading

Photo 3: during to test

Photo 4: after damaged

End of report

SGS

TEST REPORT

No. : XMMN191007700ML
Date : Nov 04, 2019
Page: 1 of 3

CUSTOMER NAME: XIAMEN ENERACK TECHNOLOGY CO., LTD
ADDRESS: 203A, WORWOO BUSINESS PLAZA, NO.4 HULI AVENUE, HULI DISTRICT, XIAMEN, CHINA

Sample Name : INNER CLAMP
Material and Mark : AL6063-T5

Below information and sample(s) were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Oct 26, 2019
Testing Start Date : Oct 26, 2019
Testing End Date : Nov 01, 2019
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
Testing Center
Spika
Spika Yang
Authorized signatory

SGS

TEST REPORT

No. : XMMN191007700ML
Date : Nov 04, 2019
Page: 2 of 3

Pull test:
Test method: according to the client's requirements. To the sample on the test machine. Apply the pull force as a rate of Servotest 50 destruction. Determine the maximum force.
Test automatic

Test Result:

Test Item	Maximum force (N)
Result	3740

Test curve:

SGS

TEST REPORT

No. : XMMN191007700ML
Date : Nov 04, 2019
Page: 3 of 3

Test photo:

END of report

SGS

TEST REPORT

No. : XMMN2003091830ML
Date : Apr 02, 2020
Page: 1 of 3

CUSTOMER NAME: XIAMEN ENERACK TECHNOLOGY CO., LTD
ADDRESS: 203A, NO.6, HULI AVENUE, HULI DISTRICT, XIAMEN, FUJIAN, CHINA

Sample Name : CLAMP
Material and Mark : AL6063-T5

Below information and sample(s) were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Mar 30, 2020
Testing Start Date : Mar 30, 2020
Testing End Date : Apr 02, 2020
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
Testing Center
Hault
Hault
Authorized signatory

SGS

TEST REPORT

No. : XMMN2003091830ML
Date : Apr 02, 2020
Page: 2 of 3

Pull test:
Test method: according to the client's requirements. To the sample on the test machine. Apply the pull force as a rate of Servotest 50 Mill of. Determine the maximum force.

Test Result:

Test Item	Maximum force (N)
Result	4194

Test curve:

SGS

TEST REPORT

No. : XMMN2003091830ML
Date : Apr 02, 2020
Page: 3 of 3

Test photo:

END of report

SGS

TEST REPORT

No. : XMMN2004020200ML
Date : Apr 21, 2020
Page: 1 of 3

CUSTOMER NAME: XIAMEN ENERACK TECHNOLOGY CO., LTD
ADDRESS: 203A, NO.6, HULI AVENUE, HULI DISTRICT, XIAMEN, FUJIAN, CHINA

Sample Name : CLAMP
Material and Mark : AL6063-T5

Below information and sample(s) were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Apr 15, 2020
Testing Start Date : Apr 15, 2020
Testing End Date : Apr 21, 2020
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
Testing Center
Hault
Hault
Authorized signatory

SGS

TEST REPORT

No. : XMMN2004020200ML
Date : Apr 21, 2020
Page: 2 of 3

Pull test:
Test method: according to the client's requirements. To the sample on the test machine. Apply the pull force as a rate of Servotest 50 destruction or test on. Determine the maximum force.

Test Result:

Test Item	Maximum force (N)
Result	1020

Test curve:

SGS

TEST REPORT

No. : XMMN2004020200ML
Date : Apr 21, 2020
Page: 3 of 3

Test photo:

END of report

SGS

TEST REPORT

No. : XMN2005003676ML
Date : May 21, 2020
Page: 1 of 3

CUSTOMER NAME: XIAMEN ENERACK TECHNOLOGY CO., LTD
ADDRESS: 203A, NO.6, HULI AVENUE, HULI DISTRICT, XIAMEN, FUJIAN, CHINA

Single Name : CLAMP
Material and Mark : AL6005-T5

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : May 15, 2020
Testing Start Date : May 15, 2020
Testing End Date : May 21, 2020

Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for:
SGS-CSTC Standards Technical Services Co., Ltd Xiamen Branch
Testing Center
Hank Li
Hank Li
Authorized signatory

SGS (Shanghai) Inspection & Certification Co., Ltd. is a member of the SGS Group. The SGS Group is a leading provider of inspection, testing and certification services. The SGS Group is a member of the ISO Group (ISO 9001).

SGS

TEST REPORT

No. : XMN2005003676ML
Date : May 21, 2020
Page: 2 of 3

Full test:
Test method: according to the client's requirements, fix the sample on the test machine. Apply the pull force as a rate of 5mm/min till destruction. Determine the maximum force.

Test item	Maximum force (N)
Result	2036

Test curve:

Force-displacement curve

SGS (Shanghai) Inspection & Certification Co., Ltd. is a member of the SGS Group. The SGS Group is a leading provider of inspection, testing and certification services. The SGS Group is a member of the ISO Group (ISO 9001).

SGS

TEST REPORT

No. : XMN2005003676ML
Date : May 21, 2020
Page: 3 of 3

Test photo:








End of report


SGS (Shanghai) Inspection & Certification Co., Ltd. is a member of the SGS Group. The SGS Group is a leading provider of inspection, testing and certification services. The SGS Group is a member of the ISO Group (ISO 9001).



Enerack R&D

Enerack has a design team with more than 10 years experienced in solar PV mounting system. Adhering to a responsible society constantly innovates design concepts, draws on the development experience of the domestic and international solar PV industry and constantly improves product development.


Each of our products have repeated testing for strength and trial installation, to ensure our products to you are security, quality-assured, simply, high performance, economics and easy install.







Enerack Factory



青拓集团有限公司
TONGTUO GROUP CO., LTD.
福建昂能科技有限公司
FUJIAN ENERACK TECHNOLOGY CO., LTD.



产品质量证明书 INSPECTION CERTIFICATE

品名: 太阳能光伏支架用镀锌板
规格: 3060
用途: 太阳能光伏支架用镀锌板

序号 No.	规格 Spec.	重量 Weight	化学成分(Chemical Analysis) %											试验结果 Test Results	备注 Remarks		
			C	Si	Mn	P	S	Cr	Al	Fe	Co	Ti	N				
1	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
2	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
3	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
4	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
5	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
6	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
7	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
8	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
9	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035
10	3060*1200*1.2	2.34	0.025	0.035	0.0045	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035	0.0035

检验员: 陈亮
日期: 2024/10/14









Enerack Project

Capacity: 75KW

Location: KISNAMÉNY, HUNGARY

Solution: Enerack Tin Roof System ERK-TRB-D10



Capacity: 1.8MW

Location: Labu, Malaysia

Solution: Enerack Tin Roof System ERK-TRB-C13



Capacity: 12KW

Location: Penang, Malaysia

Solution: Enerack Tin Roof System ERK-TRB-D10



Capacity: 50KW **Location:** Romania

Solution: Enerack Tin Roof System ERK-TRB-D10



Capacity: 1.2MW **Location:** Thailand

Solution: Enerack Tin Roof System ERK-TRB-C25



Capacity: 16MW **Location:** Thailand

Solution: Enerack Tin Roof System ERK-TRB-C25 & C27



Capacity: 1MW

Location: Thailand


Solution: Enerack Tin Roof System ERK-TRB-C01 & D01



Capacity: 300KW

Location: Malaysia

Solution: Enerack Tin Roof System ERK-TRB-C01 & D01



Capacity: 360KW

Location: Malaysia

Solution: Enerack Tin Roof System ERK-TRB-D10



Capacity: 500KW **Location:** Mexico

Solution: Enerack Tin Roof System ERK-TRB-D13



Capacity: 3.5MW **Location:** Malaysia

Solution: Enerack Tin Roof System ERK-TRB-C29



Capacity: 2MW **Location:** Vietnam

Solution: Enerack Tin Roof System ERK-TRB-C01 & D12



Capacity: 400KW **Location:** Poland

Solution: Enerack Tin Roof System ERK-TRB-D13



Capacity: 200KW **Location:** Ukraine

Solution: Enerack Tin Roof System ERK-TRB-D01




Capacity: 400KW **Location:** Malaysia

Solution: Enerack Tin Roof System ERK-TRB-C01



Capacity: 10MW **Location:** Fujian, China

Solution: Enerack Tin Roof System ERK-TRB-D06



Capacity: 5MW **Location:** Vietnam

Solution: Enerack Tin Roof System ERK-TRB-D01



Capacity: 150KW **Location:** Cambodia

Solution: Enerack Tin and Tilt Roof System



Capacity: 35KW **Location:** Bulgaria

Solution: Enerack Tilt Roof System



Capacity: 20KW **Location:** Romania

Solution: Enerack Tilt Roof System



Capacity: 8KW **Location:** Romania

Solution: Enerack Carport Mounting System



Capacity: 3.5KW **Location:** Zhejiang, China

Solution: Enerack Tile Roof System



Capacity: 5.5KW **Location:** UK

Solution: Enerack Tile Roof System



Capacity: 150KW **Location:** Mexico

Solution: Enerack U Pile Ground Mounting System



Capacity: 54KW **Location:** Romania

Solution: Enerack Ground Mounting System



Capacity: 200KW **Location:** Bulgaria

Solution: Enerack Ground Mounting System



Capacity: 1KW **Location:** Australia

Solution: Enerack Pole Mounting System



Capacity: 8KW

Location: Romania

Solution: Enerack Ground Mounting System



Capacity: 2MW

Location: Sri Lanka

Solution: Enerack Ground Mounting System



Capacity: 10KW

Location: HUNGARY

Solution: Enerack Ground Mounting System



Capacity: 1.8MW **Location:** Japan

Solution: Enerack Ground Mounting System



Capacity: 21MW **Location:** Fujian, China

Solution: Enerack Ground Mounting System



Capacity: 100KW **Location:** Poland

Solution: Enerack Ballasted System



Capacity: 5.5KW

Location: Bulgaria

Solution: Enerack Ballasted System



Capacity: 300KW

Location: Malaysia

Solution: Enerack Ballasted System



Capacity: 500KW

Location: Malaysia

Solution: Enerack E & W Ballasted System



